





Slender Line

Content


	Page
ESD 3000 Series	
ESD 3000 Series Slim Sliding Configurations	16
ESD 3000 Series Slim Sliding	17 - 20
ESD 3000 Series Sliding & Fixed	21 - 24
ESD 1000 Series	
ESD 1000 Series 35mm Slim Sliding Configurations	25
ESD 1000 Series 35mm Slim Sliding	26 - 30
ESD 1000 Series 20mm Slim Sliding Configurations	31 - 35
ESD 1000 Series 20mm Slim Sliding	36
ESD 2000 Series	
ESD 2000 Series 21mm Slim Sliding Configurations	37
ESD 2000 Series 21mm Slim Sliding	38 - 41
Ultra Slimline	
Ultra Slimline Sliding System Configuration	42
Ultra Slimline Sliding System	43 - 45
Telescopic Sliding	
Telescopic Sliding Door Configuration	46
Telescopic Sliding Door	47 - 49
Slim Partition	
Slim Partition Configuration	50
Slim Partition	51 - 55

ESD 3000 Series


Slim Sliding Configurations




Double Sash



Sliding & Fixed




Four Sash




Four Sash & Fixed

ESD 3000 Series


Slim Sliding



SECTION :- A-A




ELEVATION



SECTION :- B-B


ESD 3000 Series

Slim Sliding




EST. WEIGHT - 1.347 KG./M.


SECTION NO - ESD-3001




SECTION NO. - ESD-1003
EST. WEIGHT - 0.148 KG./M.



EST. WEIGHT - 1.165
SECTION NO - ESD-3601




EST. WEIGHT - 1.475 KG./M.
SECTION NO - ESD-3101




EST. WEIGHT - 0.993 KG./M.
SECTION NO - ESD-3201

ESD 3000 Series

Slim Sliding



SECTION NO. - ESD-1701
EST. WEIGHT - 0.920 KG./M.



SECTION NO. - ESD-1506
EST. WEIGHT - 0.824 KG./M.

ESD 3000 Series

Slim Sliding

Kin long Hardware

Multi-Point

NO.	NAME	CODE		REMARK	Qty.
1	Handle	TZS08		L=25mm	02
2	Locking plate	U09			02
3	Transmission rod	TLG11-(Length)X15		Pin Height=15mm Locking point=8.1mm	02
4	Anti-strike block	PFZK004			02
5	Roller	CMLJF006	150Kg	J156	04
					95m
					02
8	EPDM	57391		For glass thickness = 8mm	80m

Single-Point


NO.	NAME	CODE		REMARK	Qty.
1	Sliding lock	TLS16H		Tongue TLS12-6E, Screw M5x30	02
2	Locking plate	TLK19A			02
3	Anti-strike block	PFZK004			02
4	Roller	CMLJF006	150Kg	J156	04
					95m
					02
8	EPDM	57391		For glass thickness = 8mm	80m

3H - Hardware


NO.	NAME	CODE		REMARK
7	Weather Strip	7*6.5		Tongue TLS12-6E, Screw M5x30
6	Anti-hitting Block	T396+T397	1	
5	Anti-hitting Block	PFK02	4	
4	Anti theft device	WT0777	2	
3	Double roller	WG2506073	4	120kg
2	Lock Seat	STZ46	2	
1	Lock	STG23B	2	HOOK:STG23-72 install screw:M5*28

ESD 3000 Series

Sliding & Fixed




Sliding & Fixed



Four Sash & Fixed



ESD 3000 Series

Sliding & Fixed



Section :- A - A


Section :- B - B




Section :- C - C

ESD 3000 Series


Sliding & Fixed




SECTION NO. - ESD-3002
EST. WEIGHT - 1.344 KG./M.




SECTION NO. - ESD-3602
EST. WEIGHT - 0.985 KG./M.




SECTION NO. - GL-108
EST. WEIGHT - 0.357 KG./M.




SECTION NO. - ESD-1506
EST. WEIGHT - 0.824 KG./M.




EST. WEIGHT - 1.165
SECTION NO - ESD-3601




SECTION NO. - ESD-1701
EST. WEIGHT - 0.920 KG./M.



SECTION NO. - ESD-1003
EST. WEIGHT - 0.148 KG./M.



SECTION NO. - ESD-1301
EST. WEIGHT - 0.332 KG./M.



SECTION NO. - GL-109
EST. WEIGHT - 0.408

ESD 3000 Series

Sliding & Fixed

Kin long Hardware

Multi-Point


NO.	NAME	CODE		REMARK	Qty.
1	Handle	TZS08		L=25mm	01
2	Locking plate	U09			01
3	Transmission rod	TLG11-(Length)X15		Pin Height=15mm Locking point=8.1mm	01
4	Roller	CMLJF006	150Kg	J156	02
5	Woolpile	W7XH8			

Single-Point


NO.	NAME	CODE		REMARK	Qty.
1	Sliding lock	TLS16H		Tongue TLS12-6E, Screw M5x30	01
2	Locking plate	TLK19A			01
3	Roller	CMLJF006	150Kg	J156	02
4	Woolpile	W7XH8			

ESD 1000 Series


35mm Slim Sliding Configurations




Double Sash




Sliding & Fixed




Double Sash Top Fixed



Fixed & Top Fixed




Four Sash




Four Sash & Fixed

ESD 1000 Series


35mm Slim Sliding



SECTION :- A-A




ELEVATION




SECTION :- B-B

ESD 1000 Series


35mm Slim Sliding




SECTION NO. - ESD-1001
EST. WEIGHT - 1.445 KG./M.




SECTION NO. - ESD-1003
EST. WEIGHT - 0.148 KG./M.




SECTION NO. - ESD-1701
EST. WEIGHT - 0.920 KG./M.



SECTION NO. - ESD-1801
EST. WEIGHT - 0.956 KG./M.




SECTION NO. - ESD-1506
EST. WEIGHT - 0.824 KG./M.




SECTION NO. - ESD-1901
EST. WEIGHT - 0.438 KG./M.

ESD 1000 Series


35mm Slim Sliding




SECTION NO. - ESD-1002
EST. WEIGHT - 2.184 KG./M.




EST. WEIGHT - 1.165
SECTION NO - ESD-3601




SECTION NO. - ESD-1902
EST. WEIGHT - 1.194 KG./M.



SECTION NO. - ESD-1301
EST. WEIGHT - 0.332 KG./M.




SECTION NO. - ESD-1302
EST. WEIGHT - 0.218 KG./M.




SECTION NO. - ESD-1903
EST. WEIGHT - 1.004 KG./M.

ESD 1000 Series


35mm Slim Sliding



SECTION NO. - ECA-28
EST. WEIGHT - 1.290 KG./M.



SECTION NO. - ECA-23
EST. WEIGHT - 1.007 KG./M.



SECTION NO. - ECA-26
EST. WEIGHT - 1.414 KG./M.

ESD 1000 Series

35mm Slim Sliding

Kin long Hardware

Single-Point

NO.	NAME	CODE		REMARK
1	Sliding lock	TLS16H		Tongue TLS12-6E, Screw M5x30
2	Locking plate	TLK19A		
3	Anti-strike block	PFZK004		
4	Roller	CMLJF006	150Kg	J156
5	Woolpile	W7XH8		
6	Anti-theft piece	T-FDK		
7	EPDM	73364		For glass thickness = 5mm
8	EPDM	73289		For glass thickness = 6mm
9	EPDM	57391		For glass thickness = 8mm

Single-Point


NO.	NAME	CODE		REMARK
1	Handle	TZS08		L=25mm
2	Locking plate	U09		
3	Transmission rod	TLG11-(Length)X15		Pin Height=15mm Locking point=8.1mm
4	Anti-strike block	PFZK004		
5	Roller	CMLJF006	150Kg	J156
6	Woolpile	W7XH8		
7	Anti-theft piece	T-FDK		
8	EPDM	73364		For glass thickness = 5mm
9	EPDM	73289		For glass thickness = 6mm
10	EPDM	57391		For glass thickness = 8mm

3H - Hardware


NO.	NAME	CODE		REMARK
7	Anti-hitting block	7*6.5		
6	Anti-hitting block	T396+T397	1	
5	Anti-hitting Block	PFK02	4	
4	Anti theft device	WT0777	2	
3	Double roller	WG2506073	4	120kg
2	Lock Seat	STZ46	2	
1	Lock	STG23B	2	HOOK:STG23-72 install screw:M5*28

ESD 1000 Series


20mm Slim Configurations




Double Sash




Sliding & Fixed




Double Sash Top Fixed



Fixed & Top Fixed






Four Sash



Four Sash & Fixed


ESD 1000 Series

20mm Slim Configurations




ESD 1000 Series


20mm Slim Configurations




SECTION NO. - ESD-1001
EST. WEIGHT - 1.445 KG./M.




SECTION NO. - ESD-1701
EST. WEIGHT - 0.920 KG./M.




SECTION NO. - ESD-1506
EST. WEIGHT - 0.824 KG./M.



SECTION NO. - ESD-1003
EST. WEIGHT - 0.148 KG./M.




SECTION NO. - ESD-1801
EST. WEIGHT - 0.956 KG./M.




SECTION NO. - ESD-1901
EST. WEIGHT - 0.438 KG./M.

ESD 1000 Series



20mm Slim Configurations




SECTION NO. - ESD-1002
EST. WEIGHT - 2.184 KG./M.




SECTION NO. - ESD-1601
EST. WEIGHT - 1.347 KG./M.



SECTION NO. - ESD-1301
EST. WEIGHT - 0.332 KG./M.




SECTION NO. - ESD-1302
EST. WEIGHT - 0.218 KG./M.




SECTION NO. - ESD-1903
EST. WEIGHT - 1.004 KG./M.

ESD 1000 Series


20mm Slim Configurations



SECTION NO. - ECA-28
EST. WEIGHT - 1.290 KG./M.



SECTION NO. - ECA-23
EST. WEIGHT - 1.007 KG./M.



SECTION NO. - ECA-26
EST. WEIGHT - 1.414 KG./M.

ESD 1000 Series

20mm Slim Sliding

Kin long Hardware

Single-Point

NO.	NAME	CODE		REMARK
1	Sliding lock	TLS16H		Tongue TLS12-6E, Screw M5x30
2	Locking plate	TLK19A		
3	Anti-strike block	PFZK004		
4	Roller	CMLJF006	150Kg	J156
5	Woolpile	W7XH8		
6	Anti-theft piece	T-FDK		
7	EPDM	73364		For glass thickness = 5mm
8	EPDM	73289		For glass thickness = 6mm
9	EPDM	57391		For glass thickness = 8mm

Single-Point


NO.	NAME	CODE		REMARK
1	Handle	TZS08		L=25mm
2	Locking plate	U09		
3	Transmission rod	TLG11-(Length)X15		Pin Height=15mm Locking point=8.1mm
4	Anti-strike block	PFZK004		
5	Roller	CMLJF006	150Kg	J156
6	Woolpile	W7XH8		
7	Anti-theft piece	T-FDK		
8	EPDM	73364		For glass thickness = 5mm
9	EPDM	73289		For glass thickness = 6mm
10	EPDM	57391		For glass thickness = 8mm

3H - Hardware


NO.	NAME	CODE		REMARK
7	Anti-hitting block	7*6.5		
6	Anti-hitting block	T396+T397	1	
5	Anti-hitting Block	PFK02	4	
4	Anti theft device	WT0777	2	
3	Double roller	WG2506073	4	120kg
2	Lock Seat	STZ46	2	
1	Lock	STG23B	2	HOOK:STG23-72 install screw:M5*28

ESD 2000 Series


21mm Slim Sliding Configurations




Double Sash




Sliding & Fixed




Double Sash Top Fixed



Fixed & Top Fixed






Four Sash



Four Sash & Fixed


ESD 2000 Series

21mm Slim Sliding




ESD 2000 Series

21mm Slim Sliding



SECTION NO - ESD-2001

EST. WEIGHT - 1.858 KG./M




SECTION NO - ESD-2002


EST. WEIGHT - 2.725 KG./M

ESD 2000 Series


21mm Slim Sliding




SECTION NO - ESD-2301
EST. WEIGHT - 0.295 KG./M




SECTION NO - ESD-2302
EST. WEIGHT - 0.334 KG./M




SECTION NO - ESD-2902
EST. WEIGHT - 0.191 KG./M




SECTION NO. - ESD-1901
EST. WEIGHT - 0.438 KG./M.




SECTION NO - ESD-2601
EST. WEIGHT - 1.461 KG./M



SECTION NO - ESD-2508
EST. WEIGHT - 0.895 KG./M



SECTION NO. - ABS-SD10
EST. WEIGHT - 1.825 KG./M.



SECTION NO - ESD-2701
EST. WEIGHT - 10.933 KG./M

ESD 2000 Series

21mm Slim Sliding

3H - Hardware


NO.	NAME	CODE		REMARK
7	Weather Strip	7*8.5		
6	Anti-hitting block	T396+T397	1	
5	Anti-hitting Block	PFK02	4	
4	Anti theft device	T390	1	
3	Double roller	WG2506073	4	120Kg weight bearing
2	Lock Seat	STZ46	2	
1	Lock	STG23B	2	Hook:STG23-76 Installing screw:M5*30

Kin long Hardware


NO.	NAME	CODE		REMARK
1	Handle	TZS23	2	L=25mm
2	Transmission rod	TLG11-(Length)14HS10	2	
3	Locking plate	U15	4	
4	Anti-strike block	PFZK002G16	4	PFZK002, H=16mm
5	Roller	CMLF3703-K31J160	4	200kg weight bearing
6	Anti-theft block	T-FDK01	1	
7	Woolpile	W7XH9	L (m)	

Ultra Slimline


Sliding System Configuration




Sliding & Fixed



Double Sash Top Fixed




Double Sash Bottom Fixed



Four Sash & Fixed

Ultra Slimline


Sliding System




SCALE 1 : 3

Ultra Slimline


Sliding System




SECTION NO. - SDG-2002
EST. WEIGHT - 1.109 KG./M.




SECTION NO. - UTS-1101
EST. WEIGHT - 1.587 KG./M.




SECTION NO - ESD-2508
EST. WEIGHT - 0.895 KG./M




SECTION NO. - UTS-1501
EST. WEIGHT - 0.472 KG./M.



SECTION NO. - ABS-SD07
EST. WEIGHT - 0.138 KG./M.



SECTION NO. - UTS-1601
EST. WEIGHT - 1.640 KG./M.



SECTION NO. - SD-1302
EST. WEIGHT - 0.303 KG./M.


Ultra Slimline

Sliding System


Ref.	Description	Quantity
95003	BOGIE F2 — CA 09228 — RU D19,3 R2,65 IN — HK1012 —TNO	02 UNI
06159	DIN 7982 2.9*9.5 A2	04 UNI
0524020	UPPER LOCKING POINT FOR FLUSH BOLT DENEK NATURAL ZINC	02 UNI
038501	REDUCED SIDE LEAF LOCKING KIT — LEFT	02 UNI
03443002	TITAN FLUSH LOCK — 12 MM LONG — BLACK	02 UNI

Telescopic Sliding


Door Configuration




Double Sash



3 Track Sash




Four Sash & Fixed




3 Track Sash & Fixed


Telescopic Sliding Door




Telescopic Sliding Door




SECTION NO. - TSD-1001
EST. WEIGHT - 0.662 KG./M.



SECTION NO. - TSD-1002
EST. WEIGHT - 0.356 KG./M.




SECTION NO. - TSD-1201
EST. WEIGHT - 1.065 KG./M.



SECTION NO. - TSD-1701
EST. WEIGHT - 0.695 KG./M.




SECTION NO. - TSD-1601
EST. WEIGHT - 0.770 KG./M.



SECTION NO. - TSD-1401
EST. WEIGHT - 0.992 KG./M.

Telescopic Sliding Door



3H - Hardware

Roller	JZTM205	2 Sets
Lock plate	JZTM201-03	2
Lock	JZTM201-02	2
Back handle	JZTM201-01B	2
Front handle	JZTM201-01A	2

Noted:

1. This configuration scheme is suitable for door leaf weights < 80kg.
2. Please ask the customer to confirm the sample in advance based on this configuration plan and the actual usage situation.
- 3 . Please attach the configuration drawing when placing an order.


Kin long Hardware

NO.	NAME	CODE	QTY	REMARK
1	Sliding Lock	T-ZBS201	2	Including frame cover
2	Single hanging wheel	CYMLD003	2	Including frame cover
3	Anti-strike	FK-AG4	8	


Noted:

1. Single door weight: ≤80KG.
2. The width of door leaf: ≥570mm.
3. uffer Type: Two-way buffering.
4. Main material: Zinc alloy (Sprayed surface treatment), engineering plastic.
5. Buffer Hanging Roller CYML301 includes: Damping Sliding Door Roller x1, Sliding Door Roller x1, Block x2, Distribution (Guidex1, a number of Self-tapping Screw).
6. Applicable door type: Aluminum alloy narrow-edge sliding door.


Slim Partition Configuration




Door with Partition




Full Partition



Partition



Door with 90 Joint




Door with 90 Joint


Slim Partition



SECTION NO. - EPT-002
EST. WEIGHT - 0.553 KG./M.




SECTION NO. - EPT-003
EST. WEIGHT - 0.481 KG./M.




SECTION NO. - P-1119
EST. WEIGHT - 0.820 KG./M.


Slim Partition




SECTION NO. - GL-116
EST. WEIGHT - 0.299 KG./M.
GLASS GAP - 12.5 MM




SECTION NO. - GL-118
EST. WEIGHT - 0.236 KG./M.
GLASS GAP - 26 MM



SECTION NO. - GL-121
EST. WEIGHT - 0.228 KG./M.
GLASS GAP - 30 MM






SECTION NO - GL-123
EST. WEIGHT - 0.187 KG./M
GLASS GAP - 36.5 MM






SECTION NO - GL-124
EST. WEIGHT - 0.285 KG./M
GLASS GAP - 16 MM


Slim Partition



Slim Partition



Slim Partition





Slender Line



Alumex PLC (Head Office) Address: Alumex PLC, Pattiwila Road, Sapugaskanda, Makola.
Contact: 0112 400 332/ 077 7552 992

Alumex Sales and Marketing Office No: 34, Nawala-Narahenpita Rd, Sri Jayawardhana Kotte.
Contact: 077 7552 992